

- filling with hyaluronic acid. *Ann Chir Plast Esthet* 2004; 49(5): 465-685. doi: 10.1016/j.anplas.2004.09.001.
8. Choi YJ, Lee JY, Ahn JY, Kim MN, Park MY. The safety and efficacy of a combined diode laser and bipolar radiofrequency compared with combined infrared light and bipolar radiofrequency for skin rejuvenation. *Indian J Dermatol Venereol Leprol* 2012; 78(2): 146-152. doi: 10.4103/0378-6323.93630.
 9. Dreno B, Araviiskaia E, Berardesca E, Bieber T, Hawk J, Sanchez-Viera M, *et al.* The science of dermatocosmetics and its role in dermatology. *J Eur Acad Dermatol Venereol* 2014; 28(11): 1409-1417. doi: 10.1111/jdv.12497.
 10. Reips UD, Funke F. Interval level measurement with visual analogue scales in Internet-based research: VAS Generator. *Behav Res Methods* 2008; 40(3): 699-704. doi: 10.3758/BRM.40.3.699.
 11. Monstrey SJ, Pitaru S, Hamdi M, Van Landuyt K, Blondeel P, Shiri J, *et al.* A two-stage phase I trial of Evolence30 collagen for soft-tissue contour correction. *Plast Reconstr Surg* 2007; 120(1): 303-311. doi: 10.1097/01.prs.0000264402.97692.b6.
 12. Narins RS, Baumann L, Brandt FS, Fagien S, Glazer S, Lowe NJ, *et al.* A randomized study of the efficacy and safety of injectable poly L-lactic acid versus human-based collagen implant in the treatment of nasolabial fold wrinkles. *J Am Acad Dermatol* 2010; 62(3): 448-462. doi: 10.1016/j.jaad.2009.07.040.
 13. Sales AG, Lotierzo PH, Gimenez R, Camargo CP, Ferreira MC. Evaluation of poly-L-lactic acid implant for treatment of the nasolabial fold: 3-year follow-up evaluation. *Aesthetic Plast. Surg* 2008; 32(5): 753-756. doi: 10.1007/s00266-008-9182-2.
 14. Baumann LS, Shamban AT, Lupo MP, Monheit GD, Thomas JA, Murphy DK, *et al.* Comparison of smooth-gel hyaluronic acid dermal fillers with cross-linked bovine collagen: a multicenter, double-masked, randomized, within-subject study. *Dermatol Surg* 2007; 33(2): S128-35. doi: 10.1097/00042728-200712001-00004.
 15. Croce MA, Dyne K, Boraldi F, Quaglino D Jr, Cetta G, Tiozzo R, *et al.* Hyaluronan affects protein and collagen synthesis by *in vitro* human skin fibroblasts. *Tissue & Cell* 2001; 33(4): 326-331. doi: 10.1054/tice.2001.0180.
 16. Kim J. Effects of Injection Depth and Volume of Stabilized Hyaluronic Acid in Human Dermis on Skin Texture, Hydration, and Thickness. *Arch Aesthetic Plast Surg* 2014; 20(2): 97-103. doi: 10.14730/aaps.2014.20.2.97.
 17. Dranitsaris G, Dorward K, Hatzimichael E, Amir E. Clinical trial design in biosimilar drug development. *Invest New Drugs* 2013; 31(2): 479-487. doi: 10.1007/s10637-012-9899-2.